

Suggested Reading - Peru

Projects - links to research areas

[Birds](#)

Aquatic Animals

[Caimans](#)

[Dolphins](#)

[Otters](#)

[Turtles](#)

[Primates](#)

[Large Mammals](#)

[Freshwater Fish](#)

Also check the Operation Wallacea website library pages for publications and research reports

General Information

Bodmer, R. & Puertas, P. (2007) Monitoring Wildlife Populations in the Samiria River Basin, Peru.

Bodmer, R., Fang, T & Puertas, P. (2008) Wildlife Conservation at the Lago Preto Conservation Concession, Yavari River, Peru.

Bird Projects

The importance of habitat heterogeneity for the diversity of bird communities in the Amazon

Anjos, L. (2006) Bird species sensitivity in a fragmented landscape of the Atlantic forest in Southern Brazil. *Biotropica* 38: 229-234

Bennet, P.M. & Owens, I.P.F. (1997) Variation in extinction risk among birds: Chance or evolutionary predisposition. *Proceedings of the Royal society of London B: Biological Sciences*. 264: 401-408.

- Bierregaard, R.O., Lovejoy, T.E., Stouffer, P.c. & Strong, C. (2006) Long-term landscape change and bird abundance in Amazonian rainforest fragments. *Conservation Biology* 20: 1212-1223
- Brightsmith, D.J. (2005) Parrot nesting in Southeastern Peru: Seasonal patterns and keystone trees. *The Wilson Bulletin* 117: 296-305
- Brooks M, Mittermeier RA, Mittermeier CG, da Fonseca GAB, Rylands AB, Konstant WR, Flick P, Pilgrim J, Oldfield S, Magin G, Hilton-Taylor C. (2002) Habitat loss and extinction in the hotspots of biodiversity. *Conservation Biology* 16: 909 - 923
- Burhans, D.E., Root, B. & Thompson F.R. (2002) Effects of point count protocol on bird abundance and variability: Estimates and power to detect population trends. *Journal of Field Ornithology* 73: 141-150.
- Fabara, J., Jorgenson, J.P., Karubian, J., Romo, D., Smith, T.B. & Yunes, D. (2005) Temporal and spatial patterns of macaw abundance in the Ecuadorian Amazon. *The Condor* 107: 617-626.
- Gray MA, Baldauf SL, Mayhew PJ & Hill JK (2007) The response of avian feeding guilds to tropical forest disturbance. *Conservation Biology* 21: 133-141
- Haugaasen, T. & Peres, C.A. (2007) Vertebrate responses to fruit production in Amazonian flooded and unflooded Forests. *Biodiversity and Conservation* 16: 4165-4190.
- Hockey PAR & Curtis OE (2009) Use of basic biological information for rapid prediction of the response of species to habitat loss. *Conservation Biology* 23: 64-71
- Karr, J. R. (1980) Geographical variation in the avifaunas of tropical forest undergrowth. *The Auk*. 97 , 283-298.
- Lees, A.C. & Peres, C.A. (2006) Rapid avifaunal collapse along the Amazonian deforestation frontier. *Biological Conservation* 133: 198-211.
- Pearson, D. L. (1977) A pantropical comparison of bird community structure on six lowland forest sites. *The Condor* 79: 232-244.
- Renton, K. (2004) Agonistic interactions of nesting and non-breeding macaws. *The Condor* 106: 354-362.
- Renton, K. (2002) Seasonal variation in occurrence of macaws along a rainforest river. *Journal of Field Ornithology* 73: 15-19.

Trivedi, M.R., Cornejo, F.H. & Watkinson, A.R. (2004) Seed predation on brazil nuts (*Bertholletia excelsa*) by macaws (*Psittacidae*) in Madre de Dios, Peru, *Biotropica* 36:118-122.

Vale, M.M., Cohn-Haft, M., Bergen, S. & Pimm, S.L. (2008) Effects of future infrastructure development on threat status and occurrence of Amazonian birds. *Conservation Biology* 22: 1006-1015

Villard MA, Trzcinski MK & Merriam G (1999) Fragmentation effects on forest birds: Relative influence of woodland cover and configuration on landscape occupancy. *Conservation Biology* 13: 774-783

Aquatic animals

The need to understand *dolphins/river otters/caiman/turtle* populations and ecology in order to preserve a functioning river system

Caimans

Brazaitis, P., Rebelo, G.H., and Yamashita, C. 1996. The status of *Caiman crocodilus crocodilus* and *Melanosuchus niger* populations in the Amazonian regions of Brazil. *Amphibia-Reptilia*. 17: 377-385.

Da Silveira, R. & Thorbjarnarson, J.B. (1999) Conservation implications of commercial hunting of black and spectacled caiman in the Mamiraua Sustainable Development Reserve, Brazil. *Biological Conservation* 88: 103-109.

Fitzgerald, L.A. (1989) An evaluation of stomach flushing techniques for crocodylians. *Journal of Herpetology* 23: 170-172.

Garnet, S.T. (1985) The consequences of slow chitin digestion on crocodylian diet analyses. *Journal of Herpetology* 19: 303-304.

Herron, J.C. (1994) Body size, spatial distribution, and microhabitat use in the caimans *Melanosuchus niger* and *Caiman crocodilus*, in a Peruvian lake. *Journal of Herpetology* 28: 508-513.

Herron, J.C. (1991) Growth rates of black caiman *Melanosuchus niger* and spectacled caiman *Caiman crocodilus*, and the recruitment of breeders in hunted caiman populations. *Biological Conservation* 55: 103-113.

Hockey PAR & Curtis OE (2009) Use of basic biological information for rapid prediction of the response of species to habitat loss. *Conservation Biology* 23: 64-71

- Magnusson, W.E., Da Silveria, E.V., & Lima, A.P. (1987) Diets of Amazonian crocodiles. *Journal of Herpetology* 21: 85-95.
- Magnusson, W.E. (1983) Size estimates of crocodylians. *Journal of Herpetology* 17: 86-88.
- Rice, A., Ross, J., Woodward, A., Carbonneau, D., & Percival, H. (2007) Alligator diet in relation to alligator mortality on Lake Griffin, FL. *Southeastern Naturalist* 6: 97–110.
- Subalusky, A.L., Fitzgerald L.A., & Smith, L.L. (2009) Ontogenetic niche shifts in the American alligator establish functional connectivity between aquatic systems. *Biological Conservation* 142: 1507-1514
- de Thoisy, B., Hrbek, T., Farias, I., Vasconcelos, W., & Lavergne, A. (2006) Genetic structure, population dynamics, and conservation of black caiman (*Melanosuchus niger*). *Biological Conservation* 133: 474-482.
- Wallace, K., & Leslie, A. (2008) Diet of the Nile crocodile (*Crocodylus niloticus*) in the Okavango Delta, Botswana. *Journal of Herpetology* 43: 361-368.

Dolphins

- Buckland, S.T., Anderson, D.R., Burnham, K.P., Laake, J.L., Borchers, D.L., and Thomas, L. 2001. *Introduction to Distance Sampling: Estimating the Abundance of Biological Populations*. Oxford University Press Inc. New York.
- Caballero, S., Trujillo, F., Vianna, J.F., Barrios-Garrido, H., Montiel, M.G., & Beltrán-Pederos, S. (2007) Taxonomic status of the genus *Sotalia*: species level ranking for “Tucuxi” (*Sotalia fluviatilis*) and “Costero” (*Sotalia guianensis*) dolphins. *Marine Mammal Science* 23: 358–386.
- Doksæter, L., Olsen, E., Nøttestad, L. and Fernö, A., (2008) Distribution and feeding ecology of dolphins along the Mid-Atlantic Ridge between Iceland and the Azores. *Deep-Sea Research II*, 55, 243–253.
- Hamilton, H., Caballero, S., Collins, A.G., and Brownell Jr. R.L. (2001) Evolution of river dolphins. *Proceedings of the Royal Society of London B: Biological Science* 268: 549-556.
- Herman, L. M. L., Von Fersen & M. Solangi (1996) The bufeo (*Inia geoffrensis*) in the Rio Lagarto Cocha of the Ecuadorian Amazon. *Marine Mammal Science* 12: 118-125
- Hockey, P.A.R. & Curtis, O.E. (2009) Use of basic biological information for rapid prediction of the response of species to habitat loss. *Conservation Biology* 23: 64-71

- Martin, A.R., & da Silva, V.M.F. (2006) Sexual dimorphism and body scarring in the boto (Amazon river dolphin) *Inia geoffrensis*. *Marine Mammal Science* 22: 25-33.
- Martin, A.R., & da Silva, V.M.F. (2004) Number, seasonal movements, and residency characteristics of river dolphins in an Amazonian floodplain lake system. *Canadian Journal of Zoology* 82: 1307-1315.
- Martin, A.R., da Silva, V.M.F., & Salmon, D.L. 2004. Riverine habitat preferences of botos (*Inia geoffrensis*) and tucuxis (*Sotalia fluviatilis*) in the central Amazon. *Marine Mammal Science* 20: 189-200.
- Trujillo, G. F. (1994) The use of photoidentification to study the Amazon river dolphin, *Inia geoffrensis*, in the Colombian Amazon. *Marine Mammal Science* 10: 348-353.
- Vidal, O., Barlow, J., Hurtado, L. A., Torre, J., Cendon, P. & Ojeda, Z., (1997) Distribution and Abundance of the Amazon River Dolphin (*Inia geoffrensis*) and the Tucuxi (*Sotalia fluviatilis*) in the Upper Amazon River. *Marine Mammal Science* 13: 427-445
- Williams, N. (2001) The riddle of the river dolphins. *Current Biology* 11: 289

Otters

- Anoop, K. R. & Hussain, S. A. (2004) Factors affecting habitat selection by smooth-coated otters (*Lutra perspicillata*) in Kerala, India. *Journal of Zoology* 263: 417-423
- Carter, S.K. & Rosas F.C.W. (1997) Biology and conservation of the Giant Otter *Pteronura brasiliensis*. *Mammal Review* 27: 1-26
- Fox, A. (1999) The role of habitat enhancement in the return of the European otter (*Lutra lutra*) to Northumberland. *Water and Environment Journal* 13: 79-83
- Harris, M.B., Walfrido, T., Mourã G., Da Silva, C.J., Guimarãs, E., Sonoda, F. & Fachim, E. (2005) Safeguarding the Pantanal wetlands: Threats and conservation initiatives. *Conservation Biology* 19: 714-720
- Hockey, P.A.R. & Curtis, O.E. (2009) Use of basic biological information for rapid prediction of the response of species to habitat loss. *Conservation Biology* 23: 64-71
- Lanszki, J., Körmendi, S., Hancz, C. & Martin, T. G. (2001) Examination of some factors affecting selection of fish prey by otters (*Lutra lutra*) living by eutrophic fish ponds *Journal of Zoology* 255: 97-103
- Nilsson, C. & Dynesius, M. (1994) Ecological effects of river regulation on mammals and birds: A review. *Regulated Rivers: Research & Management* 9: 45-53

- Pardini, R. (1998) Feeding ecology of the neotropical river otter *Lontra longicaudis* in an Atlantic forest stream, south-eastern Brazil. *Journal of Zoology* 245: 385-391
- Prenda, J., López-Nieves, P. & Bravo, R. (2001) Conservation of otter (*Lutra lutra*) in a Mediterranean area: the importance of habitat quality and temporal variation in water availability. *Aquatic Conservation: Marine and Freshwater Ecosystems* 11: 343-355
- Progioni, C., Balestrieri, A. & Remonti, L. (2007) Decline and recovery in otter (*Lutra lutra*) populations in Italy. *Mammal Review* 37: 71-79
- Robitaille, J.F. & Laurence, S. (2002) Otter, *Lutra lutra*, occurrence in Europe and in France in relation to landscape characteristics. *Animal Conservation* 5: 337-344
- Rosas F.C.W., Zuanon, J.A.S. & Carter, S.K. (1999) Feeding ecology of the giant otter, *Pteronura brasiliensis*. *Biotropica* 31: 502-506
- Ruiz-Olmo, J., López-Martín, J.M. & Palazón, S. (2001) The influence of fish abundance on the otter (*Lutra lutra*) populations in Iberian Mediterranean habitats *Journal of Zoology* 254: 325-336
- Vidal, O. (1993) Aquatic mammal conservation in Latin America: Problems and perspectives. *Conservation Biology* 7: 788-795

Turtles

- Bodie, J.R., Semlitsch, R.D. & Renken, R.D. (2000) Diversity and structure of turtle assemblages: associations with wetland characters across a floodplain landscape *Ecography* 23: 444-456
- Burke, V. J. & Gibbons, J.W. (1995) Terrestrial buffer zones and wetland conservation: A case study of freshwater turtles in a Carolina Bay. *Conservation Biology* 9: 1365-1369
- Clark, N. J., Gordos, M. A. & Franklin, C. E. (2009) Implications of river damming: the influence of aquatic hypoxia on the diving physiology and behaviour of the endangered Mary River turtle. *Animal Conservation* 12: 147-154
- Gordos, M. A., Hamann, M., Schauble, C. S., Limpus, C. J. & Franklin, C. E. (2007) Diving behaviour of *Elseya albagula* from a naturally flowing and hydrologically altered habitat. *Journal of Zoology* 272: 458-469
- Jones, M.J. & Stuart, I.G. (2008) Regulated floodplains – a trap for unwary fish *Fisheries Management and Ecology* 15: 71-79

- Lowry, M. B., Pease, B. C., Graham, K. & Walford, T. R. (2005) Reducing the mortality of freshwater turtles in commercial fish traps. *Aquatic Conservation: Marine and Freshwater Ecosystems* 15: 7-21
- Polisar, J. & Horwich, R.H. (1994) Conservation of the large, economically important river turtle, *Dermatemys mawii*, in Belize. *Conservation Biology* 8: 338-342
- Souza, F.L. & Abe, A.S. (2000) Feeding ecology, density and biomass of the freshwater turtle, *Phrynops geoffroanus*, inhabiting a polluted urban river in south-eastern Brazil *Journal of Zoology* 252: 437-446
- Swihart, R.K., Lusk, J.J., Duchamp, J.E., Rizkalla, C.E. & Moore, J.E. (2006) The roles of landscape context, niche breadth, and range boundaries in predicting species responses to habitat alteration. *Diversity and Distributions* 12: 277-287
- Munné, A., Prat, N., Solà, C., Bonada, N. & Rieradevall, M. (2003) A simple field method for assessing the ecological quality of riparian habitat in rivers and streams: QBR index. *Aquatic Conservation: Marine and Freshwater Ecosystems* 13: 147-163

The importance of habitat heterogeneity for the diversity of primate populations in the Amazon

- Aquino, R. & Encarnación, F. (1988) Population densities and geographic distribution of night monkeys (*Aotus nancymai* and *Aotus vociferans*) (cebidae: Primates) in Northeastern Peru. *American Journal of Primatology* 14: 375-381
- Bennett, C.L., Leonard, S. & Carter, S. (2001) Abundance, diversity, and patterns of distribution of primates on the Tapiche River in Amazonian Peru. *American Journal of Primatology* 54: 119-126
- Chapman, C.A. & Onderdonk, D.A. (1998) Forests without primates: Primate/plant codependency. *American Journal of Primatology* 45: 127-141
- Chism, J. & Ward, N.S. (2003). A report on new geographical location of red uakari (*Cacajao calvus ucayalii*) on the Quebrada Tahuaillo in Northeastern Peru. *Neotropical Primates* 11: 19-22.
- Di Fiore, A. (2003) Ranging behavior and foraging ecology of lowland woolly monkeys (*Lagothrix lagotricha poeppigii*) in Yasuní National Park, Ecuador. *American Journal of Primatology* 59: 47-66
- Hankerson, S.J., Franklin, S.P. & Dietz, J.M. (2007) Tree and forest characteristics influence sleeping site choice by golden lion tamarins. *American Journal of Primatology* 69: 976-988

- Haugaasen, T. & Peres, C.A. (2008) Associations between primates and other mammals in a central Amazonian forest landscape. *Primates* 49: 219-222
- Haugaasen, T. & Peres, C.A. (2007) Vertebrate responses to fruit production in Amazonian flooded and unflooded forests. *Biodiversity and Conservation* 16: 4165-4190.
- Haugaasen, T. & Peres, C.A. (2005) Primate assemblage structure in Amazonian flooded and unflooded forests. *American Journal of Primatology* 67: 243-258
- Haugaasen, T. & Peres, C.A. (2004) Mammal assemblage structure in Amazonian flooded and unflooded Forests. *Journal of Tropical Ecology* 21: 133-145.
- Heymann, E.W. (2001) Can phenology explain the scarcity of folivory in New World primates? *American Journal of Primatology* 55: 171-175
- Hockey PAR & Curtis OE (2009) Use of basic biological information for rapid prediction of the response of species to habitat loss. *Conservation Biology* 23: 64-71
- Isabirye-Basuta, G.M. & Lwanga, J.S. (2008) Primate populations and their interactions with changing habitats. *International Journal of Primatology* 29: 35-48
- Mendes-Pontes, A.R. (1997) Habitat partitioning among primates in Maracá Island, Roraima, Northern Brazilian Amazonia. *International Journal of Primatology* 18: 131-157
- Nadjafzadeh, M.N. & Heymann, E.W. (2008) Prey foraging of red titi monkeys, *Callicebus cupreus*, in comparison to sympatric tamarins, *Saguinus mystax* and *Saguinus fuscicollis*. *American Journal of Physical Anthropology* 135: 56-63
- Palacios, E. & Rodriguez, A. (2001) Ranging pattern and use of space in a group of red howler monkeys (*Alouatta seniculus*) in a Southeastern Colombian rainforest *American Journal of Primatology* 55: 233-251
- Peres, C.A. (1999) General guidelines for standardizing line-transect surveys of tropical forest primates. *Neotropical Primates* 7: 11-16.
- Puertas, P. & Bodmer, R.E. (1993) Conservation of a high diversity primate assemblage *Biodiversity and Conservation* 2: 567-701
- Stevenson, P.R., Quinones, M.J. & Ahumada, J.A. (1994) Ecological strategies of woolly monkeys (*Lagothrix lagotricha*) at Tinigua National Park, Colombia. *American Journal of Primatology* 32: 123-140
- Stone, A.I. (2007) Responses of squirrel monkeys to seasonal changes in food availability in an eastern Amazonian forest. *American Journal of Primatology* 69: 142-157

Wallace, R.B. (2006) Seasonal variations in black-faced black spider monkey (*Ateles chamek*) habitat use and ranging behavior in a southern Amazonian tropical forest. *American Journal of Primatology* 68: 313-332

Warner, M.D. (2002) Assessing habitat utilization by Neotropical primates: A new approach. *Primates* 43: 59-71

The need to understand large mammal (*peccaries/deer/tapir/cat*) populations and ecology in order to preserve a functioning flooded forest habitat

Bodmer, R.E. (1995) Priorities for the conservation of mammals in the Peruvian Amazon. *Oryx* 29: 23-28.

Bodmer, R.E. (1990) Fruit patch size and frugivory in the lowland tapir (*Tapirus terrestris*). *Journal of Zoology* 222: 121-128

Bodmer, R.E., Eisenberg, J.F. & Redford, K.H. (1997) Hunting and the likelihood of extinction of mammals. *Conservation Biology*. 11: 460–466.

Buckland, S.T., Anderson, D.R., Burnham, K.P., Laake, J.L., Borchers, D.L. & Thomas, L. (2001) *Introduction to Distance Sampling: Estimating the Abundance of Biological Populations*. Oxford University Press Inc. New York.

Crawshaw, P. & Quigley, H.B. (1991) Jaguar spacing, activity and habitat use in a seasonally flooded environment in Brazil. *Journal of Zoology*. 223: 357-370.

Fragoso, J.M.V. (1998) Home range and movement patterns of white-lipped peccary (*Tayassu pecari*) herds in the Northern Brazilian Amazon. *Biotropica* 30: 458-469

Galetti, M., Keuroghlian, A., Hanada, L. & Inez-Morato, M. (2001) Frugivory and seed dispersal by the lowland tapir (*Tapirus terrestris*) in Southeast Brazil. *Biotropica* 33: 723-726

Gottdenker, N. & Bodmer, R.E. (1998) Reproduction and productivity of white-lipped and collared peccaries in the Peruvian Amazon. *Journal of Zoology* 245: 423-430

Haugaasen, T. & Peres, C.A. (2007) Vertebrate responses to fruit production in Amazonian flooded and unflooded Forests. *Biodiversity and Conservation* 16: 4165-4190.

Haugaasen, T. & Peres, C.A. (2004) Mammal assemblage structure in Amazonian flooded and unflooded Forests. *Journal of Tropical Ecology* 21: 133-145.

- Hockey, P.A.R. & Curtis, O.E. (2009) Use of basic biological information for rapid prediction of the response of species to habitat loss. *Conservation Biology* 23: 64-71
- Keuroghlian, A. & Eaton D.P. (2008) Fruit availability and peccary frugivory in an isolated Atlantic forest fragment: Effects on peccary ranging behavior and habitat use. *Biotropica* 40: 62-70
- Keuroghlian, A. & Eaton, D.P (2008) Importance of rare habitats and riparian zones in a tropical forest fragment: preferential use by *Tayassu pecari*, a wide-ranging frugivore *Journal of Zoology* 275: 283-293
- Kinnaird, M.F., Sanderson, E.W., O'Brien, T.G., Wibisono, H.T. & Woolmer, G. (2003) Deforestation trends in a tropical landscape and implications for endangered large mammals. *Conservation Biology* 17: 245-257
- Mendes-Pontes, A. R. & Chivers, D. J. (2007) Peccary movements as determinants of the movements of large cats in Brazilian Amazonia. *Journal of Zoology* 273: 257-265
- Naughton-Treves, L., Mena, J.L., Treves, A., Alvarez, N. & Radeloff, V.C. (2003) Wildlife survival beyond park boundaries: the impact of slash-and-burn agriculture and hunting on mammals in Tambopata, Peru. *Conservation Biology* 17: 1106-1117
- Norconk, M.A., Grafton, B.W. & Conklin-Brittain, N.L. (1998) Seed dispersal by Neotropical seed predators. *American Journal of Primatology* 45: 103-126
- Novack, A.J., Main, M.B., Sunquist, M.E. & Labisky, R.F. (2005) Foraging ecology of jaguar (*Panthera onca*) and puma (*Puma concolor*) in hunted and non-hunted sites within the Maya Biosphere Reserve, Guatemala. *Journal of Zoology* 267: 167-178
- Pires-Costa, L., Reis-Leite, Y.L., Mendes, S.L. & Ditchfield, A.D. (2005) Mammal conservation in Brazil. *Conservation Biology* 19: 672-679
- Plumptre, A.J. (2000) Monitoring mammal populations with line transect techniques in African forests. *Journal of Applied Ecology* 37: 356-368.
- Rafael Reyna-Hurtado, R. & Tanner, G.W (2005) Habitat preferences of ungulates in hunted and nonhunted areas in the Calakmul forest, Campeche, Mexico *Biotropica* 37: 676-685
- de Thoisy, B., Brosse, S. & Dubois, M. (2008). Assessment of large vertebrate species richness and relative abundance in Neotropical forest using line-transect census: What is the minimal effort required? *Biodiversity and Conservation* 17: 2627-2644
- Tobler, M.W., Carrillo-Percegué, S.E., Leite-Pitman, R., Mares, R. & Powell, G. (2008) An evaluation of camera traps for inventorying large- and medium-sized terrestrial rainforest mammals. *Animal Conservation* 11: 169-178

Weckel, M., Giuliano, W. & Silver, S. (2006) Jaguar (*Panthera onca*) feeding ecology: distribution of predator and prey through time and space. *Journal of Zoology* 270: 25-30

The use of freshwater fish population surveys as an indicator of aquatic system health within the Amazon basin

Bojsen, B.H. & Barriga, R. (2002) Effects of deforestation on fish community structure in Ecuadorian Amazon streams. *Freshwater Biology* 47: 2246-2260

de Brito-Ribeiro, M.C.L. & Petreire, M. (1990) Fisheries ecology and management of the Jaraqui (*Semaprochilodus Taeniurus*, *S. Insignis*) in central Amazonia. *Regulated Rivers: Research & Management* 5: 195-215

de Brito-Ribeiro, M.C.L., Petreire, M. & Affonso-Juras, A. (1995) Ecological integrity and fisheries ecology of the Araguaia - Tocantins River Basin, Brazil. *Regulated Rivers: Research & Management* 11: 325-350

Cerdeira, R.G.P., Ruffino, M.L. & Isaac, V.J. (2000) Fish catches among riverside communities around Lago Grande de Monte Alegre, Lower Amazon, Brazil. *Fisheries Management & Ecology* 7: 355-374

Correa, S.B., Crampton, W.G.R., Chapman, L.J. & Albert, J.S. (2008) A comparison of flooded forest and floating meadow fish assemblages in an upper Amazon floodplain *Journal of Fish Biology* 72: 629-644

Gerstner, C.L., Ortega, H., Sanchez, H. & Graham, D.L. (2006) Effects of the freshwater aquarium trade on wild fish populations in differentially-fished areas of the Peruvian Amazon. *Journal of Fish Biology* 68: 862-875

Hockey, P.A.R. & Curtis, O.E. (2009) Use of basic biological information for rapid prediction of the response of species to habitat loss. *Conservation Biology* 23: 64-71

Hubert, N & Renno, J.F. (2006) Historical biogeography of South American freshwater fishes. *Journal of Biogeography* 33: 1414-1436

Kehrig HA, Malm, O. (1999) Methylmercury in fish as a tool for understanding the Amazon mercury contamination. *Applied Organometallic Chemistry* 13: 689-696

Martelo, J., Lorenzen, K., Crossa, M. & Mcgrath, D.G. (2008) Habitat associations of exploited fish species in the Lower Amazon river-floodplain system. *Freshwater Biology* 53: 2455-2464

- Mol, J.H. & Ouboter, P.E. (2004) Downstream effects of erosion from small-scale gold mining on the instream habitat and fish community of a small Neotropical rainforest stream. *Conservation Biology* 18: 201-214
- Neill, C., Deegan, L.A., Thomas, S.M., Hauptert, C.L., Krusche, A.V., Ballester, V.M. & Reynaldo L.V. (2006) Deforestation alters the hydraulic and biogeochemical characteristics of small lowland Amazonian streams. *Hydrological Processes* 20: 2563-2580
- Nolan, K.S., Fabré, N.N. & Batista, V.S. (2009) Landscape variables affecting fishery yield in lake systems of the Central Amazon region, Brazil. *Journal of Applied Ichthyology* 26: DOI: 10.1111/j.1439-0426.2008.01122.x
- Petry, P., Bayley, P.B. & Markle, D.F. (2003) Relationships between fish assemblages, macrophytes and environmental gradients in the Amazon River floodplain. *Journal of Fish Biology* 63: 547-579
- Silvano, R.A.M., Ramires, M. & Zuanon, J. (2009) Effects of fisheries management on fish communities in the floodplain lakes of a Brazilian Amazonian Reserve. *Ecology of Freshwater Fish* 18: 156-166
- Tomanova, S., Moya, S. & Oberdorff, T. (2008) Using macroinvertebrate biological traits for assessing biotic integrity of Neotropical streams. *River Research and Applications* 24: 1230-1239
- Weijters, M.J., Janse, J.H., Alkemade, R. & Verhoeven, J.T.A. (2009) Quantifying the effect of catchment land use and water nutrient concentrations on freshwater river and stream biodiversity. *Aquatic Conservation: Marine and Freshwater Ecosystems* 19: 104-112